


WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

4.1	(11) International Publication Number: WO 00/12818
AI	(43) International Publication Date: 9 March 2000 (09.03.00)
	DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT,
SCAP ton No GB/GE BLO 9E	Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.
2	A1

(54) Title: TISSUE MARKING FABRIC



(57) Abstract

A tissue marking fabric comprises at least two warp yam systems (5, 6) and one or two weft yam systems (3, 4). The warp yam systems are interlaced at spaced intervals, and extensive floats are provided either in the upper weft yam system (3) extending in the cross-machine direction, or in the upper warp yarn system (14).

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia	
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia	
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal	
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swazitand	
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad	
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo	
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan	
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan	
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey	
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago	
ВJ	Benin	1E	Ireland	MN	Mongolia	UA	Ukraîne	
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda	
BY	Belarus	IS	Iceland	MW	Malawi	us	United States of America	
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan	
CF	Central African Republic	JР	Japan	NE	Niger	VN	Viet Nam	
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia	
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe	
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand			
CM	Cameroon		Republic of Korea	PL	Poland			
CN	China	KR	Republic of Korea	PT	Portugal			
CU	Cuba	KZ	Kazakstan	RO	Romania			
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation			
DE	Germany	LI	Liechtenstein	SD	Sudan			
DK	Denmark	LK	Sri Lanka	SE	Sweden			
EE	Estonia	LR	Liberia	SG	Singapore			

WO 00/12818 PCT/GB99/02793

-1-

TISSUE MARKING FABRIC

This invention relates to a papermaker's fabric intended primarily for use in the production of patterned tissues, which may be used for example as a forming or drying fabric in the process of tissue paper manufacture.

5

10

WO 96/35018 (Kimberly-Clark) describes the formation of patterns in a paper or tissue sheet using an integral woven structure on the fabric surface. The imprint in this case is caused by providing systematically distributed densely woven areas in the fabric where drainage of water is relatively slow. As disclosed in the said specification, the drainage may be impeded by incorporation of additional filaments or fibres on top of or within the forming fabric weave pattern, or by a film or coating which blocks or fills void space within the fabric through which water could otherwise drain. Over the areas of impeded drainage, a thinner layer of relatively long fibres tends to be deposited, whilst shorter fibres migrate and are concentrated in the area of more rapid drainage, producing a thicker, less translucent tissue over the faster drainage areas.

15

20

One method of producing areas of different drainage rate is to provide long yarn floats in the tissue contacting surface of the forming or drying fabric. US 5,429,686 (Chiu) discloses a patterned fabric with long warp floats provided as an additional sculpting layer superimposed upon the normal fabric weave. These sculpting layer floats can produce a lineated

DISCOUNT - WO MISSIRALLS

5

10

15

20

-2-

or discrete area pattern. This disclosure also relates to relatively high, e.g. over 65% warp cover fabrics, which makes for poor air permeability or drainage.

WO 93/10304 (Nordiskafilt) relates to a papermachine fabric designed to reduce marking of the paper or tissue web by a forming fabric comprising at least two systems of warp threads and at least one system of weft threads, wherein the warp thread systems are interconnected by interlacing the yarns of one warp thread system with the yarns of the other, at least once in each pattern repeat. In a single weft embodiment, extensive warp yarn floats are produced by the yarns of the lower warp system on the machine face of the fabric.

An object of the invention is to provide a tissue marking fabric suitable for use in the wet end of a tissue machine as a forming wire, or as a throughair drying fabric, which is capable of producing desired marking of the tissue, but can be produced without use of supplementary or auxiliary yarns to produce areas of altered drainage.

In accordance with the invention, a tissue marking fabric comprises at least one weft yarn system and at least two warp yarn systems, at least two of the warp yarn systems being interlaced with each other, characterised by the provision of extensive yarn floats on the tissue contacting face of the fabric in either a warp yarn system and/or a weft

PHONONIO 2810 M10010411

WO 00/12818 PCT/GB99/02793

-3-

yarn system, the floats being provided by the interlacing yarns.

In a first embodiment, two weft yarn systems may be provided, extending in the cross-machine direction. Two separate warp yarn systems are in this case provided, one associated with the lower weft yarn system and interwoven therewith, and the other associated with the upper weft yarn system, and each yarn of which is at least partially interwoven with the yarns of the upper weft yarn system, at least some of the warp yarns of the second warp yarn system being passed below two or more of the weft yarns of the lower weft yarn system. This has the effect of creating weft yarn floats in the upper weft yarn system, which is on the tissue contacting side of the fabric. The warp yarn systems are interlaced in the region of normal weave.

In a second embodiment, a single weft yarn system is provided, with a first warp yarn system associated therewith and interwoven with the weft yarns. A second warp yarn system is provided comprising yarns which are not interwoven with the weft yarns, but are interlaced with spaced knuckles of the first warp system, for example at each third, fourth or fifth knuckle. This produces extensive floats in the second warp yarn system which are presented on the tissue contacting face of the fabric.

The interlacings between the yarns of the first and second warp yarn systems may involve alternate right and left twists given to the second

5

10

15



-4-

system warp yarns.

Two embodiments of fabric according to the invention will now be described by way of example with reference to the accompanying drawings wherein:-

- Fig. 1 is a weave diagram of a first embodiment of tissue marking fabric according to the invention; and
 - Fig. 2 is a weave diagram of a second embodiment of tissue marking fabric according to the invention.

Fig. 1 shows a two-ply 10 shaft repeat weave fabric which has two weft yarn systems 1 and 2, forming upper and lower fabric plies or layers. In both Fig. 1 and Fig. 2, the tissue contacting surface of the fabric is shown to the top, and the machine contacting weaving surface is shown to the bottom. The first upper (tissue side) weft yarn system 1 comprises a plurality of weft yarns 3a-3j. The second lower (machine side) weft yarn system 2 similarly comprises a plurality of weft yarns 4a-4j, which are disposed directly below the corresponding yarns 3a-3j of the first system 1.

A plurality of warp yarns are woven with the lower system 2, a representative one of which 5, is shown in the drawing. This is woven in a standard 4:1 weave pattern, and thus floats over four weft yarns of the lower system, and is looped below one of the weft yarns in the lower system, in each weave repeat.

20

10

15

minnonin 31/0 - 001781841 I s

-5-

Further warp yarns such as 6 are woven into the upper weft yarn system, as shown in a 1:1 weave with the first five threads 3a-3e of a 10 shaft repeat, and then woven below the next five yarns 3f-3j of the upper weft system, as shown. Successive warp yarns 6 may be stepped one thread to the right or left with reference to the drawing. As a result, each weft thread of the first yarn system, such as 3f-3j as shown in the drawing, is exposed for example five warp yarns and thus floated in contact with the tissue.

Yarn 6 and yarn 5 are interlaced once in each repeat, as shown between weft yarns 3b and 4b.

Fig. 2 shows a single ply 8 shaft repeat weave fabric which has a single weft yarn system 11, with a plurality of weft yarns 12a-12h in each repeat.

A system of warp yarns such as 13 is interwoven into the yarn system 11, in for example a 1:1 weave pattern as illustrated. The warp yarns may be relatively displaced to the left or right of the drawing by one weft thread at each pick, so that loop knuckles alternate in bridging weft yarns.

A further layer of warp direction yarns 14 is provided, and these as shown, are interlaced once in each weave repeat with the warp yarns 13 of the main yarn system. Each successive warp yarn is preferably advanced

5

10

15

-6-

to right or left in the drawing by the space of one weft yarn. The warp yarns 14 of the further layer provide extensive warp direction floats, in place of the weft direction floats provided in the Fig. 1 embodiment.

As noted above, extensive yarns floats on either the warp or weft direction can alter the drainage properties of the fabric, and thus provide for desired marking on a prescribed pattern of a tissue web formed or dried on the fabric. The distribution of knuckles and floats may be arranged in the tissue contacting layer as desired to provide any suitable pattern on the marked tissue, for example reticular, or conforming to a decorative image.

10

15

5

The interlacing of the warp yarns 5, 6 can be achieved by the warp threads being drawn in special leno heddles which during weaving shift the warp threads sideways, i.e. parallel to the weft threads. This leno heddle motion for a warp thread takes place when the warp thread in the warp thread system facing the paper web is positioned below a weft thread interlacing with this warp thread. A fabric may contain layers or areas which have been thus interlaced alongside or interlayered with conventionally interwoven multiply fabrics.

- 1 1401 B0100 - OHO - OHODOTON 1 1 -



-7-

CLAIMS

5

10


15

- 1. A tissue marking fabric comprising at least one weft yarn system and at least two warp yarn systems, at least two of the warp yarn systems being interlaced with each other, characterised in that extensive yarn floats are provided on the tissue contacting face of the fabric in a warp yarn system and/or a weft yarn system, the floats being provided by the interlacing yarns.
- 2. A tissue marking fabric according to claim 1, wherein two weft yarn systems are provided extending in the cross-machine direction, two separate warp yarn systems being also provided, one associated with a lower weft yarn system and interwoven therewith, and the other associated with an upper weft yarn system, each yarn of said other systems being at least partially interwoven with the yarns of the upper weft yarn system, and at least some of the warp yarns of the second warp yarn system being passed below two or more of the weft yarns of the lower weft yarn system to thereby create weft yarn floats on the tissue contacting face of the fabric.
- 3. A tissue marking fabric according to claim 1, wherein a single weft yarn system is provided, and a first warp yarn system associated therewith and interwoven with the weft yarns, a second warp yarn system also being provided and comprising yarns which are not

interwoven with the weft yarns, but which are interlaced with spaced knuckles of the first warp system, to thereby produce extensive floats in the second warp yarn system which are presented in the tissue contacting face of the fabric.

-8-

A tissue marking fabric according to any preceding claim, wherein the interlacings between the yarns of the first and second warp yarn systems may involve alternate right and left twists given to the yarns of the second warp yarn system.



tm .tional Application No PCT/GB 99/02793

			TC1/GB 33/	02793
A. CLASSII IPC 7	PICATION OF SUBJECT MATTER D21F11/00 D21F1/00			
	o International Patent Classification (IPC) or to both national classificati	ion and IPC		
B. FIELDS				
IPC 7	cumentation searched (classification system followed by classification D21F	1 <i>8ympole</i>	_	
	son searched other than minimum documentation to the extent that su			
Electronic di	ata base consulted during the international search (name of data base	e and, where practical,	, search terms used)	
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT			
Category *	Citation of document, with indication, where appropriate, of the relev	vant passages		Relevant to claim No.
X	WO 93 10304 A (NORDISKAFILT AB) 27 May 1993 (1993-05-27) the whole document			1-4
A	US 5 429 686 A (CHIU ET AL) 4 July 1995 (1995-07-04) the whole document			1
A	US 5 713 397 A (QUIGLEY) 3 February 1998 (1998-02-03) the whole document			1
Furt	her documents are listed in the continuation of box C.	Petterni tamelly	members are sated	in annex.
Special ca	ategories of cited documents:			
"A" docume consider filling of "L" docume which citatio	ent defining the general state of the art which is not detect to be of particular relevance document but published on or after the international date ent which may throw doubts on priority claim(s) or	cular relevance; the lered to involve an in bined with one or m	n the application but secry underlying the claimed invention at be considered to ocument is taken alone	
later t	ent published prior to the International filling date but han the priority date claimed actual completion of the International search	in the art, "&" document membe	or of the same patent	
	7 December 1999	11/01/2		and teport
Name and	mailing address of the ISA European Patent Office, P.B. 5616 Patentiaan 2 NI. – 2280 HV Rijewijk Tel. (+31-70) 340-2040, Tx, S1 651 epo nt, Fax (-831-70) 340-9018	Authorized officer		





Im tional Application No PCT/GB 99/02793

		1017 db 33702733			
Patent document cited in search repo	rt	Publication date	1	Patent family member(s)	Publication date
WO 9310304	A	27-05-1993	SE	469432 B	05-07-1993
			AT	157717 T	15-09-1997
			AU	654890 B	24-11-1994
			AU	3053792 A	15-06-1993
			8R	9206959 A	28-11-1995
			CA	2123883 A	27-05-1993
			DE	69222056 D	09-10-1997
			DE	69222056 T	12-02-1998
			EP	06145 0 1 A	14-09-1994
			FI	942328 A,B,	19-05-1994
			JP	7501109 T	02-02-1995
			MX	9206717 A	01-08-1993
			NO	941848 A	04-07-1994
			SE	9103461 A	23-05-1993
			US	5458693 A	17-10-1995
US 5429686	A	04-07-1995	AU	682957 B	23-10-1997
			AU	2200395 A	30-10-1995
			BR	9506222 A	30-09-1997
			CA	2163096 A	19-10-1995
			CN	1127019 A	17-07-1996
			DE	69506668 D	28-01-1999
			DE	69506668 T	05~08~1999
			EP	0708857 A	01-05-1996
			ES	2125610 T	01-03-1999
			JP	8511838 T	10-12-1996
			MO	9527821 A	19-10-1995
			ZA	9502943 A	20-12-1995
US 5713397	A	03-02-1998	NONE		

Form PCT/ISA/210 (patent family ennex) (July 1992)

40

.